

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-18 (Cancelled).

19. (Currently Amended) A unitary soft gel capsule for oral administration, prepared by a process comprising the steps of:

heating rice bran oil to about 35° C in a container;
adding filler to provide a mixture;
adding Corosolic acid;
stirring the mixture; and
encapsulating the mixture in a soft gel capsule.

20. (Previously Presented) The soft gel capsule of claim 19, wherein the filler is yellow bee's wax.

21. (Previously Presented) The soft gel capsule of claim 19, wherein the filler is silica.

22. (Previously Presented) The soft gel capsule of claim 19, wherein the filler is yellow bee's wax and silica.

23. (Previously Presented) The soft gel capsule of claim 19, wherein the Corosolic acid is 1% Corosolic acid.

24. (Previously Presented) The soft gel capsule of claim 19, wherein the Corosolic acid is 1% Corosolic acid alcohol extracted from *Lagerstroemia Speciosa L.*

25. (Previously Presented) The soft gel capsule of claim 19, wherein the Corosolic acid is present in the range of 8 to 100 mg.

26. (Previously Presented) The soft gel capsule of claim 19, further comprising adding the extract of *Gymnema sylvestre* to the mixture.

27. (Previously Presented) The soft gel capsule of claim 19, wherein the Corosolic acid is added under a vacuum.
28. (Previously Presented) The soft gel capsule of claim 19, wherein the mixture is blanketed with nitrogen.
29. (Previously Presented) The soft gel capsule of claim 19, wherein the filler is yellow bee's wax and silica and the Corosolic acid is 1% Corosolic acid alcohol extracted from *Lagerstroemia Speciosa L.*
30. (Previously Presented) The soft gel capsule of claim 29, wherein the Corosolic acid is added under a vacuum.
31. (Previously Presented) The soft gel capsule of claim 30, wherein the mixture is blended under nitrogen.
32. (New) A method for preparing a Corosolic acid soft gel comprising:
- heating rice bran oil to about 35° C in a container;
 - adding filler;
 - adding Corosolic acid ;
 - stirring the mixture; and
 - encapsulating the mixture in a soft gel capsule.
33. (New) The method of claim 32, wherein the filler is yellow bee's wax.
34. (New) The method of claim 32, wherein the filler is silica.
35. (New) The method of claim 32, wherein the filler is yellow bee's wax and silica.
36. (New) The method of claim 32, wherein the Corosolic acid is 1% Corosolic acid.
37. (New) The method of claim 32, wherein the Corosolic acid is 1% Corosolic acid alcohol extracted from *Lagerstroemia Speciosa L.*
38. (New) The method of claim 32, wherein the Corosolic acid is present in the range of 8 to 100 mg.

39. (New) The method of claim 32, further comprising adding the extract of *Gymnema sylvestre* to the mixture.
40. (New) The method of claim 32, wherein the Corosolic acid is added under a vacuum.
41. (New) The method of claim 32, wherein the mixture is blanketed with nitrogen.
42. (New) The method of claim 32, wherein the filler is yellow bee's wax and silica and the Corosolic acid is 1% Corosolic acid alcohol extracted from *Lagerstroemia Speciosa L.*
44. (New) The method of claim 42, wherein the Corosolic acid is added under a vacuum.
45. (New) The method of claim 44, wherein the mixture is blended under nitrogen.